











GRANDE



Solar Pro Collection

Solar Pro Collection

Sauleda | MASACRIL

 Fabric	Masacril® Acrylic 100% Solution Dyed	
 Yarns	Warp	30h/cm (Nm 34/2)
	Weft	15h/cm (Nm 34/2)
 Tensile Strength	Warp	140 daN/5 cm
	Weft	95 daN/5 cm
 Weight	300gr m ²	
 Water Repellency	360mm	
 Finish	Sauleda Fabric Protector	
 Length of rolls	50m	
 Width	153 cm 60" 200 cm 78" 240 cm 94"	

The design fabrics by Sauleda, S.A. have an 10 year warranty against normal exposure to the sun and atmospheric agents in general. Consult the warranty terms on www.gjbv.nl
The better care you give to your fabric, the longer you will be able to maintain its lustre.
Follow the maintenance instructions on www.sauleda.com

masacril®
FABRILINA FIBRA ACRILICA - EXCLUSIVE ACRYLIC FIBER









OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100



PLAIN'S CHART

Codes, widths and finishes

		GTOT	 TS	 RS	 AS	 CT	 TL	 PV	 UV
NATURAL	2926	0,18	26,6	62,0	11,4	2	27,0	3	40
MARFIL	2143	0,16	22,0	56,9	21,1	2	19,2	2	40
MARMOL	1070	0,07	5,8	30,7	63,5	4	2,2	4	60
SAND	1071	0,15	20,1	53,6	26,3	3	20,1	3	60
BEIGE	2038	0,11	12,2	42,8	45,0	3	5,8	4	80
AMARILLO	2013	0,15	19,5	54,5	26,0	3	15,7	3	80
NARANJA	2050	0,13	16,2	48,3	35,5	3	5,4	4	80
OCRE	2180	0,13	18,0	51,4	30,6	3	7,6	4	80
ROJO	2211	0,10	12,0	40,8	47,2	4	1,0	4	80
BRASSERIE	2209	0,08	6,2	30,4	63,4	4	0,4	4	80
AZUL REAL	2235	0,07	5,3	20,5	74,2	4	0,3	4	80
MARINO	2145	0,05	0,2	11,2	88,6	4	0,2	4	80
VERDE	2242	0,06	4,5	20,5	75,0	4	1,0	4	80
BOTELLA	2245	0,06	3,3	14,6	82,1	4	0,3	4	80
ANIS	2024	0,11	12,4	39,7	47,9	4	5,6	3	80
SILVER	2821	0,13	16,0	54,3	29,7	3	14,2	3	40
MINERAL	2831	0,07	5,1	24,7	70,2	4	1,6	4	80
BASALTO	2327	0,06	4,6	20,1	75,3	4	1,1	4	80
GRIS	2102	0,07	5,8	30,7	63,5	4	2,2	4	80
PIEDRA	3605	0,07	6,1	33,4	60,5	4	3,6	4	80
GRAFITO	3602	0,06	4,1	19,7	76,2	4	0,3	4	80
ANTRACITA	8488	0,06	3,3	16,5	80,2	4	0,3	4	80
CARBON	1060	0,05	0,0	2,2	97,8	4	0,1	4	80
NEGRO	2170	0,05	0,0	2,2	97,8	4	0,1	4	80

GTOT Solar Factor



TS

Solar Transmission



RS

Solar Reflexion



AS

Solar Absorption



THERMAL COMFORT

2: Moderate
3: Efficient
4: Very efficient



TL

Luminic Transmission



VISUAL COMFORT

2: Moderate
3: Efficient
4: Very efficient



UV

UV Protection Factor



Natural
2926 GR
Ral 1013
240



Marfil
2143 GR
Ral 1015
153 / 200 / 240



Marmol
1070 GR
Ral 1019
240



Sand
1071 GR
240



Beige
2038 GR
Ral 1001
153 / 200 / 240



Amarillo
2013 GR
Ral 1021
153 / 240



Naranja
2050 GR
Ral 2004
153 / 240



Rojo
2211 GR
Ral 3020
153 / 240



Ocre
2180 GR
Ral 1034
240



Brasserie
2209 GR
Ral 3002
153 / 240



Azul Real
2235 GR
Ral 5017
153 / 200 / 240



Marino
2145 GR
Ral 5003
153 / 200 / 240



Verde
2242 GR
Ral 6016
153 / 240



Botella
2245 GR
Ral 6005
153 / 200 / 240



Anis
2024 GR
Ral 6018
240



Silver
2821 GR
Ral 7047
153 / 200 / 240



Mineral
2831 GR
Ral 7036
153 / 240



Basalto
2327 GR
Ral 7010
240



Gris
2102 GR
Ral 7030
153 / 200 / 240



Piedra
3605 GR
153 / 240



Grafito
3602 GR
153 / 240



Antracita
8488 GR
Ral 7016
153 / 240



Carbon
1060 GR
Ral 7021
153 / 240



Negro
2170 GR
Ral 9005
153 / 200 / 240





SolFaction
SOLAR SHADING FABRICS

SolFaction
+31 (0)85-0231154
info@SolFaction.nl
www.SolFaction.nl

GRANDE



Solar Pro Collection